

Schedule of Accreditation
for Testing Laboratory According to ISO/IEC 17025
Issued To
Textile Testing Laboratory
Chemistry Administration (Alexandria)
12 Dar El-Salam St., Gate No.14
Alexandria - Egypt

Schedule No.: 211013B Issue No. (1): August 17, 2017

1st Accreditation Date: August 17, 2017

Revision No. (1): August 26, 2018

Valid to: October 31, 2020

Materials/ Products Tested	Types of Tests/ Properties Measured / Range of Measurements	Techniques Used / Standard Specifications
Textile blends - Spandex mixed with nylon	Assay of linear spandex or acrylic fiber mixed with nylon or polyester	Balance Manufacturer A&D , Japan Model GR-200, S.N 14206553
Textile blends - Cotton mixed with polyesters	Assay of polyester mixed with cellulosic fibers	Oven Manufacturer WI-binder , Germany Model UTT 6, S.N 40548441 Water-Bath Manufacturer Comfort S.N 65990000A

M. J. M. S.

R. A. S. T. A. D.

Komish El-Maadi, Riad El-Maadi Tower 1 - Cairo - Egypt

Tel.: (202) 25275220/516/7

Fax: (202) 25275224

F10P15G

5.3/Mar 2018

Page 1 of 1

Mary El-Desouki
الصفحة الرسمية لطريقة الاستثمار الصناعي في مصر

Industrial Investment Map: <http://investegypt.com>: مصر

كورنش الماادي - برج رياض الماادي - القاهرة - مصر

التليفون : 25275220 / 516 / 7 (202)

الفاكس : 25275224 (202)