

Schedule of Accreditation

for Proficiency Testing Provider According to ISO/IEC 17043
Issued To
Royal For Quality System
PT Provider
Building 7 Cairo Co. For Housing & Development - Faisal - El Haram
Giza- Egypt

Schedule No.: 717002 B Issue No. (1): May 10, 2018 1st Accreditation date : May 10, 2018

Revision No. (0):

Valid to: May 9, 2022

Sample/ Artifact Sample	Tests/ Properties measured	Scheme Title/ Type	Frequency
Food Feed	copper, iron, lead, cadmium, peroxide value, brix, Sucrose. Pesticide residues, aflatoxin, crude fiber, caffeine, preservative, pH.	Food / Feed Chemistry	3 times / year
	Salmonella species, Listeria species & Vibrio spp. Coagulase positive Staphylococcus, Coliform	Food / Feed Microbiology	
- water	Drinking water: Determination of free Cl, TDS, Na, K, Nitrate, Nitrite, sulfate, Cu, Zn, Fe, Mn, THM, total THM, Mg ⁺⁺ , pH, Conductivity, turbidity, NO ₂ , NO ₃	Environmental Chemistry	
- Water	Drinking water: Enumeration of Algae Enumeration of Total Algae, Blue Algae, Green Algae and Diatoms	Biological Testing	
Liquid -vaccine assay -detection of microorganism by ELISA -detection of microorganism by PCR	detection of MG, MS, MM. detection of antibodies detection of TB using PCR Titre content of Virus sheep and goat pox vaccine. Assay for Titre content of Virus by using tissue culture Assay for Titre content of Virus by using egg inoculation Assay for Titre content of Virus by using egg inoculation Assay for Titer content of Virus by using egg inoculation	Pharmaceuticals Serum Vaccine	

Kornish El-Maadi, Riad El-Maadi Tower 1 - Cairo - Egypt

Tel.: (202) 25275220/5/6/7

Fax: (202) 25275224

F15P15G

1.2 / May 2018

Page 1 of 1

Industrial Investment Map: <http://invegypt.com>: الصفحة الرسمية لخريطة الاستثمار الصناعي في مصر

كورنيش المعادي - برج رياض المعادي ١ - القاهرة - مصر

تليفون : ٢٥٢٧٥٢٢٠/٥/٦/٧ (٢٠٢)

فاكس : ٢٥٢٧٥٢٢٤ (٢٠٢)